


# **POOL FITTINGS**


## POOL FITTINGS & CLEANERS






Products	Jet
Model	WL-APH02
Colour	White
Material	ABS






1	Products	Jet
Ī	Model	WL-APH03
1	Colour	White
ĺ	Material	ABS





Products	Jet
Model	WL-AXP01
Colour	White
Material	ABS





Products	Jet
Model	WL-BPH02
Colour	White
Material	ABS





Products	Jet
Model	WL-ASL01
Colour	White
Material	ABS






Products	Jet
Model	WL-ASL02
Colour	White
Material	ABS






Products	Suction Head
Model	WL-ACW01
Colour	White
Material	ABS





Products	Suction Head
Model	WL-ACW02
Colour	White
Material	ABS






Products	Adjustable Inlet (1.5")
Model	WL-AJH01
Colour	White
Material	ABS





Products	Adjustable Inlet
Model	WL-AJH02
Colour	White
Material	ABS





Products	Adjustable Inlet
Model	WL-AJH03
Colour	White
Material	ABS





Products	Adjustable Inlet (3")
Model	WL-AJH31
Colour	White
Material	ABS





Products	Adjustable Inlet
Model	WL-AJH04
Colour	White
Material	ABS



	# # # # # # # # # # # # # # # # # # #
6	3 3
ľ	F-#58→


Products	Adjustable Inlet
Model	WL-AJH05
Colour	White
Material	ABS



# **POOL FITTINGS**


## POOL FITTINGS & CLEANERS






Products	Adjustable Inlet (2")
Model	WL-AJH21
Colour	White
Material	ABS






Products	Gutter Drain
Model	WL-AYK01
Colour	White
Material	ABS





Products	Eyeball Inlet For Concrete Pool
Model	WL-EJH14C
Colour	White
Material	ABS





Products	Eyeball Inlet For liner Pool
Model	WL-EJH14V
Colour	White
Material	ABS





Products	Eyeball Inlet For Concrete Pool
Model	WL-EJH20C
Colour	White
Material	ABS






Products	Eyeball Inlet For liner Pool
Model	WL-EJH20V
Colour	White
Material	ABS






Products	Eyeball Inlet For Concrete Pool
Model	WL-EJH25C
Colour	White
Material	ABS






Products	Eyeball Inlet For liner Pool
Model	WL-EJH25V
Colour	White
Material	ABS






Products	Multiflow Wall Inlets
Model	PA00295C
Colour	White
Material	ABS






Products	Multiflow Wall Inlets
Model	WL-PJH14V
Colour	White
Material	ABS





Products	Multiflow Wall Inlets
Model	PA00295V
Colour	White
Material	ABS





Products	Multiflow Wall Inlets
Model	WL-PJH20V
Colour	White
Material	ABS





Products	Multiflow Wall Inlets
Model	PA00330
Colour	White
Material	ABS



	No.
† <sub>~</sub> †	
288	
(683)	54.5
	79.7
ø115	

Products	Multiflow Wall Inlets
Model	WL-PJH25V
Colour	White
Material	ABS



# **POOL FITTINGS**


### **POOL FITTINGS & CLEANERS**



	SOLD TO	6.	02
4	0	67.10	73.12
	50		
	60		108


Products	Floor inlet
Model	PADF28250
Colour	White
Material	ABS






Products	Floor inlet
Model	PADF2825V
Colour	White
Material	ABS






Products	Wide Mouth Wall Skimmer
Model	WL-APZ01
Colour	White
Material	ABS






	Products	Standard Wall Skimmer
	Model	WL-APZ02
1	Colour	White
	Material	ABS






Products	Standard Skimmer
Model	PA00249C
Colour	White
Material	ABS






Products	Standard Skimmer
Model	PA00249V
Colour	White
Material	ABS






Products	Standard Skimmer
Model	PA00249.1V
Colour	White
Material	ABS






Products	Wide Mouth Skimmer
Model	PA00250C
Colour	White
Material	ABS






Products	Wide Mouth Skimmer
Model	PA00252C
Colour	White
Material	ABS





Products	Wide Mouth Skimmers
Model	PA00250V
Colour	White
Material	ABS





Products	Wide Mouth Skimmer
Model	PA00252.1V
Colour	White
Material	ABS





	Products	Wall Conduit
ĺ	Model	PA00324
	Colour	Gray
0	Material	ABS




# MAIN DRAINS


### **POOL FITTINGS & CLEANERS**


The main drains are available in a wide range of styles and sizes to satisfy any installation requirement of any concrete residential or commercial pools. These main drains are injection-molded of ABS, which resists chemical attack.






Products	Round Main Drain
Model	WL-ADP197
Colour	White
Material	ABS





Model	WL-ADP263
Size	263X263mm
Colour	White
Thickness	35mm






Model	WL-ADP490
Size	490X490mm
Colour	White
Thickness	66mm






Model	WL-ADP336	
Size	336X336mm	
Colour	White	
Thickness	35mm	











Products	Drains
Model	PADF1467V
Colour	White
Material	ABS







## ANTI-SUCTION MAIN DRAINS


### **POOL FITTINGS & CLEANERS**


#### Features:

- · Curved surface design, anti-suction.
- VGB compliant and tested to ANSI/APSP-16 standards.
- UV-resistant, corrosion resistant, not easy to fade, longer life time.
- Meets various flow rate requirements.










WL-JDP200AL



WL-JDP200BL



WL-JDP200AH



WL-JDP200BH

Model	Specification	Outlet	Cover Dia. (mm)	Height	Material	Max Flow Rate (m³/h)
WL-JDP200AL	cover + frame		193	22	ABS	33.5
WL-JDP200AH	cover+ body	side 2 bottom1.5"	193	198.5	ABS	33.5
WL-JDP200BL	cover + frame		193	22	ABS	33.5
WL-JDP200BH	cover+ body	side 2 bottom1.5"	193	198.5	ABS	33.5




## **ANTI-SUCTION MAIN DRAINS**


### **POOL FITTINGS & CLEANERS**

#### Features:


- · Curved surface design, anti-suction.
- VGB compliant and tested to ANSI/APSP-7,2006 standards.
- Manufactured from UV- resistant engineered polymers.
- Used in new construction or to retrofit into existing Laswim frames.
- Meets various flow rate requirements.




















WL-FDP18"


Model	Size (inch/ mm)	Thickness (mm)	Material	Design Flow (m³/h)
WL-FDP9"	9" x 9" 263mm x263mm	70	ABS	23
WL-FDP12"	12" x 12" 336mm x336mm	78	ABS	88
WL-FDP18"	18" x 18" 490mm x490mm	100	ABS	93





## **GUTTER GRATINGS**

#### **POOL FITTINGS & CLEANERS**

Gutter grating is molded in white UV resistant ABS. Top of grating features an anti-slip finish and it is composed of individual units connecting along a central spine. This design allows for easier installation without the need for cutting also allowing the grating to curve as necessary.










Model	Width of Gutter D(mm)	Material
WL-BQM180	180	ABS
WL-BQM250	250	ABS
WL-BQM300	300	ABS









24.5mm 💯 🖫	19999999999	44.5mm
------------	-------------	--------

Model	Length×Width(mm)	Material
WL-DQM200	300×200	ABS
WL-DQM350	350×250	ABS
WL-DQM375	375×250	ABS





# **GUTTER GRATINGS**

### **POOL FITTINGS & CLEANERS**


#### Features:


- Comply with the standard of EN-13451 and CJJ122-2008.
- Anti-slip, safe, supper strong, durable.
- UV-resistant, not easy to fade or break, longer using life.
- To be easy to install and flexible to meet a variety of different
- swimming pool specifications.
- Composed of Part A and Part B as below drawing, Length is adjustable.
- Can make an arc with minimum radius of 625mm.













Model	L(mm)	S(mm)	H(mm)	R(mm)	r(mm)
WL-HQM250	250	29	25	625	375



### SAFETY CHECK VALVE

#### **POOL FITTINGS & CLEANERS**





WL-DZF50A/B

Safety Check Valve is an essential accessory for circulating pumps. Its main function is to avoid damaging the impeller when pump stops working.


LASWIM Safety Check Valve is specially designed forswimming pool and spa and it relies on the flow of the liquid itself to turn on and turn off the seal baffle automatically,then form the directional flow of the liquid. It ensures the directional flow of water from swimming pool and spa and prevents water from backflow.


#### Features:


- Transparent Lid, convenient to watch flow direction of water.
- Seal baffle and stainless steel spring with numerous tests ensure high performance and reliable quality.
- Being made of high quality engineering plastics, our Safety check valve is in high temperature resistance and corrosion resistance, which can adapt to acidic or alkaline fluid in temperature 5-50°C.
- Safety Check Valve in metric or imperial is optional, facilitating the installation.

DZF series Safety Check Valve has two models: model A and model B,model A:2" model B:Φ63mm

Model	A	В	С	D
DZF50-A	Ф2"	139	190	Ф134
DZF50-B	Ф63	139	190	Ф134







WL-DZF Series Exploded Drawing And Installation Diagram